




TITANIUM ALLOY CLASSIFICATION



Al equivalent (wt%) = Al + 10(O+N+C) + 1/3Sn + 1/6Zr

Mo equivalent (wt%) = Mo + 2.5Fe + 2/3V + 1.25(Cr+Ni+Cu) + 1/3Nb

www.timet.com